

1982

ASPHALT

REPORT

1982 BITUMINOUS MATERIALS DATA ANALYSIS

MATERIALS BUREAU

AUGUST, 1983

LIBRARY
30 West Street, Room 34
Albany, New York 12242
1983

NYSDOT
Library
50 Wolf Road, POD 34
Albany, New York 12232

1982 ASPHALT MATERIALS DATA ANALYSIS

TABLE OF CONTENTS

	PAGE
A. ADMINISTRATIVE DATA =====	
1. TOTAL RECORDS BY GRADE, RESULTS, ACTION a. TEST TYPE = ALL, REQ. AGENCY = ALL b. TEST TYPE = NORMAL, REQ. AGENCY = DOT NORMAL, MAINTENANCE OR RECORD SAMPLE	A2 A3
2. SAMPLES BY REQ. AGENCY* a. TEST TYPE = NORMAL, ADDITIONAL GROUP OR INFO SAMPLE b. TEST TYPE = NORMAL	A4 A4
3. SAMPLES BY SUPPLIER, GRADE* a. TEST TYPE = NORMAL, ADDITIONAL GROUP OR INFO SAMPLE AND REQ. AGENCY = ALL	A5-A7
4. CEMENT DATA RECORDS BY CODING PARAMETERS	A8
5. TEST CODING PARAMETERS	A9
6. SAMPLE DATA SHEET	A10
B. TECHNICAL DATA =====	
1. CEMENT SUMMARY STATISTICS	B2
2. HISTOGRAMS OF VISCOSITY a. GRADE AC-5 b. GRADE AC-15 c. GRADE AC-20 d. GRADE 85-100	B4 B5 B6 B7
3. HISTOGRAMS OF PENETRATION a. GRADE AC-5 b. GRADE AC-15 c. GRADE AC-20 d. GRADE 85-100	B9 B10 B11 B12
4. MEAN VISCOSITY, PENETRATION BY PRIMESOURCE a. GRADE AC-5 b. GRADE AC-15 c. GRADE AC-20 d. GRADE 85-100	B14 B15 B16 B17

* PLEASE NOTE THE DISTINCTION BETWEEN "SAMPLE" AND "RECORD".
A SAMPLE MAY BE TESTED AND THEN RETESTED (CHECKTEST) THUS CREATING TWO RECORDS.

THESE ARE THE RESULTS OF THE ANALYSIS OF THE SAMPLES OF THE SUBSTANCE AND THE RESULTS OF THE ANALYSIS OF THE SAMPLES OF THE SUBSTANCE.

0.15
0.16
0.17
0.18

1. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

0.21
0.22
0.23
0.24

2. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

0.25
0.26
0.27
0.28

3. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

0.29

4. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

0.30

5. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

6. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

0.31

7. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

8. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

0.32

9. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

10. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

0.33

11. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

12. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

0.34

13. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

0.35

14. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

15. ANALYSIS OF THE SAMPLES OF THE SUBSTANCE

A. ADMINISTRATIVE DATA

81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

1982 ASPHALT MATERIALS ANALYSIS

RIETJARA BLAINTON TIANCHA LEE

ATGO EVITAPRINIMA A

ATGO EVITAPRINIMA A

1982 ASPHALT MATERIALS DATA
TOTAL RECORDS BY GRADE, RESULTS, ACTION
TEST TYPE=ALL, REQUEST AGENCY=ALL

GRADE	ITEM NO.	R E S U L T					A C T I O N				
		PASS (1)	S C (2)	INVALID SAMPLE (3)	FAIL (4)	SUM VALID (1+2+4)	ERROR (1,2, 3 or 4)	TOTAL (1+2+3+4 +ERROR)	ACCEPT	REJECT	NO ACTION
AC-5	702-0200	16	2	0	0	18	8	26	26	0	0
AC-15	702-0400	319	2	0	4	325	0	325	301	4	20
AC-20	702-0500	1047	22	0	7	1076	0	1076	1032	5	39
85-100	702-0600	68	8	0	3	79	0	79	69	2	8
RS-1	702-3001	29	2	0	2	33	0	33	31	2	0
RS-2	702-3101	65	0	2	0	65	0	67	65	0	2
MS-2	702-3201	167	0	0	15	182	1	183	169	14	0
HFMS-2	702-3301	52	14	0	5	71	0	71	66	5	0
HFMS-2H	702-3401	20	1	5	9	30	0	35	27	1	7
HFRS-2	702-80	17	0	0	0	17	0	17	17	0	0
SS-1	702-3501	1	0	0	0	1	0	1	1	0	0
SS-1H	702-3601	0	0	0	10	10	0	10	0	0	10
CRS-1	702-4001	1	0	0	0	1	0	1	1	0	0
CRS-2	702-4101	56	0	6	0	56	0	62	56	0	6
CSS-1H	702-4501	2	0	1	4	6	0	7	2	2	3
MC-250	702-22	1	0	0	0	1	0	1	1	0	0
CRS-2	702-90**	0	0	0	10	10	0	10	0	10	0
CSS-1H	702-90**	43	7	8	13	63	0	71	50	13	8
HFMS-2H	702-90**	144	50	3	75	269	0	272	213	42	17
SS-1H	702-90**	28	16	1	14	58	0	59	50	6	3
T O T A L S		2076	124	26	171	2371	9	2406	2177	106	123

** TACK COAT

1982 ASPHALT MATERIALS DATA
TOTAL RECORDS BY GRADE, RESULT, ACTION
TEST TYPE=NORMAL; REQUEST AGENCY=DOT NORMAL MAINTENANCE, RECORD SAMPLE

GRADE	ITEM NO.	R E S U L T				A C T I O N			
		PASS (1)	S C (2)	INVALID SAMPLE (3)	FAIL (4)	SUM VALID (1+2+3+4)	ERROR (#1,2, 3 or 4)	TOTAL (1+2+3+4 +ERROR)	ACCEPT REJECT NO ACTION

AC-5	702-0200	15	1	0	0	16	4	20	0	0	0
AC-15	702-0400	310	1	0	1	312	0	312	291	1	20
AC-20	702-0500	984	11	0	3	998	0	998	957	2	39
85-100	702-0600	67	4	0	1	72	0	72	63	1	8
RS-1	702-3001	29	1	0	1	31	0	31	30	1	0
RS-2	702-3101	65	0	2	0	65	0	67	65	0	2
MS-2	702-3201	166	0	0	7	173	1	174	167	7	0
HFMS-2	702-3301	50	7	0	2	59	0	59	57	2	0
HFMS-2H	702-3401	16	1	5	3	20	0	25	18	0	7
HFRS-2	702-80	17	0	0	0	17	0	17	17	0	0
SS-1	702-3501	1	0	0	0	1	0	1	1	0	0
SS-1H	702-3601	0	0	0	5	5	0	5	0	0	5
CRS-1	702-4001	1	0	0	0	1	0	1	1	0	0
CRS-2	702-4101	56	0	6	0	56	0	62	56	0	6
CSS-1H	702-4501	2	0	1	2	4	0	5	2	1	2
MC-250	702-22	1	0	0	0	1	0	1	1	0	0
CRS-2	702-90**	0	0	0	5	5	0	5	0	5	0
CSS-1H	702-90**	43	4	6	8	55	0	61	47	7	7
HFMS-2H	702-90**	142	25	3	39	206	0	209	181	18	10
SS-1H	702-90**	28	8	1	8	44	0	45	39	4	2
T O T A L S		1993	63	24	86	2142	5	2171	2014	49	108

** TACK COAT

SAMPLES BY REQUESTING AGENCY
ALL TEST TYPES EXCEPT RETESTS

AGENCY	SUBTOTAL
DOT NORMAL	2081
DOTMAINT	27
RECSAMPLE	126
DOTENGR	8
DOT ERDB	0
THRUWAY	0
OTHER	3
ERROR	4
GRAND TOTALS	2249

SAMPLES BY REQUESTING AGENCY
TEST TYPE NORMAL ONLY

AGENCY	SUBTOTAL
DOT NORMAL	2019
DOTMAINT	27
RECSAMPLE	125
DOTENGR	2
DOTERDB	0
THRUWAY	0
OTHER	3
ERROR	4
GRAND TOTALS	2180

1982 ASPHALT MATERIALS DATA
TOTAL SAMPLES BY PRIMESOURCE, GRADE

GRADE :
MATL. DESIGNATION (702-) :

AC-5
-0200

AC-15
-0400

AC-20
-0500

85-100
-0600

RS-1
-3001

RS-2
-3101

MS-2
-3201

HFMS-2
-3301

HFMS-2H
-3401

PRIMESOURCE

ALBANY ASP	0	0	0	0	0	2	30	24	0	1
ALLE-CAT	0	0	0	0	0	0	0	5	0	0
ALLEGHANY	0	0	0	0	0	0	0	4	0	0
ARCO	0	0	249	0	0	0	0	0	0	0
ARCO	0	0	7	0	0	0	0	0	0	0
ASHLAND	18	47	0	0	0	0	0	0	0	0
B.P.-CANADA	0	0	0	31	0	0	0	0	0	0
B.P.-CANADA	0	163	0	6	0	0	0	0	0	0
BAPELITE	0	0	0	0	0	0	0	16	14	0
BIMASCO	0	0	0	0	0	1	0	0	0	4
BITUMAR CAN	0	0	0	0	0	0	0	0	0	0
CENTRAL ASP	0	0	0	0	0	4	0	6	20	8
CHEVRON	0	0	0	0	0	0	0	0	0	0
CHEVRON	0	0	87	0	0	0	0	0	0	0
CHEVRON	0	0	37	0	0	0	0	0	5	1
CHEVRON	0	0	127	0	0	0	0	0	0	0
CHEVRON	0	0	0	0	0	0	0	2	0	0
CIBRO	0	0	98	0	0	0	0	0	0	0
CIBRO	0	0	51	0	0	0	0	0	0	0
COLPROVIA	0	0	0	0	0	0	0	0	0	1
CORTLAND	0	0	0	0	0	20	0	15	18	8
DOSCH-KING	0	0	0	0	0	0	0	0	0	0
EXXON	0	0	52	0	0	0	0	0	0	0
EXXON	0	0	2	0	0	0	0	0	0	0
GULF CANADA	0	0	0	0	0	0	0	0	0	0
IMPERIAL	0	25	0	0	0	0	0	0	0	0
MARATHON	5	59	0	0	0	0	0	0	0	0
MIDLAND	0	0	0	0	0	0	0	91	0	0
MOHAWK	0	0	0	0	0	0	0	4	0	3
MULCO	0	0	0	0	0	0	0	0	0	0
NYS EMULSION	0	0	0	0	0	0	0	5	0	0
NYS EMULSION	0	0	0	0	0	0	0	0	2	0
NYS EMULSION	0	0	0	0	0	0	0	0	0	0
NYS EMULSION	0	0	0	0	0	0	0	0	0	1
OSWEGO	0	0	0	0	0	0	0	1	0	0
PARCO	0	0	100	0	0	0	0	0	0	0
PECKHAM/PARCO	0	0	176	0	0	0	0	2	0	0
PETRO-CANADA	0	0	2	18	0	0	0	0	0	0
SHELL CANADA	0	0	15	17	0	0	0	0	0	0
SHELL CANADA	0	8	0	0	0	0	0	0	0	0
OAKVILLE	0	19	1	0	0	0	0	0	0	0
UNITED REF	0	0	57	0	0	0	0	0	0	0
WEST BANK	0	0	1	0	0	0	0	0	0	0
PENNSAUKEN	0	0	0	0	0	0	0	0	0	0

TOTALS

21 322 1062 73 31 67 175 59 25

A5

1982 ASPHALT MATERIALS DATA
TOTAL SAMPLES BY PRIMESOURCE, GRADE

GRADE :	DESIGNATION	(702-)	HFRS-2 -80	SS-1 -3501	SS-1H -3601	CRS-1 -4001	CRS-2 -4101	CMS-2 -4201	CMS-2H -4301	CSS-1 -4401	CSS-1H -4501
PRIMESOURCE											
ALBANY ASP	ALBANY		0	0	0	0	1	0	0	0	0
ALLE-CAT	ALLEGANY		0	0	0	0	0	0	0	0	0
ALLEGHANY	BELMONT		0	0	0	41	0	0	0	0	0
ARCO	3 RIVERS		0	0	0	0	0	0	0	0	0
ARCO	PHILADELPHIA		0	0	0	0	0	0	0	0	0
ASHLAND	TONAWANDA		0	0	0	0	0	0	0	0	0
B.P.-CANADA	MONTREAL		0	0	0	0	0	0	0	0	0
B.P.-CANADA	OAKVILLE		0	0	0	0	0	0	0	0	0
BAKELITE	QUEBEC		0	0	0	0	0	0	0	0	0
BIMASCO	HAUPPAUGE		0	0	0	0	0	0	0	0	0
BITUMAR CAN	MONTREAL		0	0	0	0	0	0	0	0	0
CENTRAL ASP	WATKNS GLEN		0	0	0	0	0	0	0	0	0
CHEVRON	PORTLAND, CT.		0	0	0	0	0	0	0	0	0
CHEVRON	PERTH AMBOY		0	0	0	0	0	0	0	0	0
CHEVRON	TROY		0	0	0	0	0	0	0	0	0
CHEVRON	LYONS		0	5	0	0	0	0	0	0	0
CHEVRON	MONTREAL		0	0	0	0	0	0	0	0	0
CIBRO	ALBANY		0	0	0	0	0	0	0	0	0
CIBRO	THREE RIVERS		0	0	0	0	0	0	0	0	0
COLPROVIA	NEW WINDSOR		0	0	0	0	0	0	0	0	3
CORTLAND	CORTLAND		0	0	0	0	1	0	0	0	0
DOSCH-KING	WHIPPANY		0	0	0	0	1	0	0	0	0
EXXON	LINDEN		0	0	0	0	0	0	0	0	0
EXXON	3 RIVERS		0	0	0	0	0	0	0	0	0
GULF CANADA	MISSISSAGUA		0	0	0	0	0	0	0	0	0
IMPERIAL	MONTREAL		0	0	0	0	0	0	0	0	0
MARATHON	TONAWANDA		0	0	0	0	0	0	0	0	0
MIDLAND	TONAWANDA		0	0	0	0	0	0	0	0	0
MOHAWK	SCOTIA		0	0	0	0	0	0	0	0	0
MULCO	MONTREAL		0	0	0	0	0	0	0	0	0
NYS EMULSION	UTICA		0	0	0	18	0	0	0	0	0
NYS EMULSION	CHEEKTOWAGA		0	0	0	0	0	0	0	0	0
NYS EMULSION	ROCHESTER		0	0	0	0	0	0	0	0	0
NYS EMULSION	BUFFALO		0	0	0	0	0	0	0	0	0
OSWEGO	CENTRAL SQ		0	0	1	0	0	0	0	0	2
PARCO	STAMFORD		0	0	0	0	0	0	0	0	0
PECKHAM/PARCO	ATHENS		0	0	0	0	0	0	0	0	0
PETRO-CANADA	MONTREAL		0	0	0	0	0	0	0	0	0
SHELL CANADA	MONTREAL		0	0	0	0	0	0	0	0	0
SHELL CANADA	OAKVILLE		0	0	0	0	0	0	0	0	0
UNITED REF	WARREN		0	0	0	0	0	0	0	0	0
WEST BANK	KEARNY		0	0	0	0	0	0	0	0	0
WEST BANK	PENNSAUKEN		0	0	0	0	0	0	0	0	0
TOTALS			17	1	5	1	62	0	0	0	5

1982 ASPHALT MATERIALS DATA
TOTAL SAMPLES BY PRIMESOURCE, GRADE

GRADE : MATL. DESIGNATION	(702-) :	MC-250 -22	CRS-2** -90	CSS-1H** -90	HFMS-2H** -90	SS-1H** -90	ERROR (BLANK, 0)	TOTAL
PRIMESOURCE								
ALBANY ASP	ALBANY	0	0	0	78	1	0	137
ALLE-CAT	ALLEGANY	0	0	0	0	0	0	5
ALLEGHANY	BELMONT	0	5	0	0	0	0	50
ARCO	3 RIVERS	0	0	0	0	0	0	249
ARCO	PHILADELPHIA	0	0	0	0	0	0	7
ASHLAND	TOMAWANDA	0	0	0	0	0	0	63
B.P.-CANADA	MONTREAL	0	0	0	0	0	0	32
B.P.-CANADA	OAKVILLE	0	0	0	0	0	0	169
BAKELITE	QUEBEC	0	0	0	0	0	0	30
BIMASCO	HAUPPAUGE	0	0	1	1	0	0	7
BITUMAR CAN	MONTREAL	0	0	0	8	0	0	8
CENTRAL ASP	WATFNS GLEN	0	0	0	8	0	0	49
CHEVRON	PORTLAND, CT.	0	0	3	0	0	0	3
CHEVRON	PERTH AMBOY	1	0	0	0	0	0	88
CHEVRON	TROY	0	0	0	0	29	0	43
CHEVRON	LYONS	0	0	0	0	0	0	161
CHEVRON	MONTREAL	0	0	0	0	0	0	2
CIBRO	ALBANY	0	0	0	0	0	0	98
CIBRO	THREE RIVERS	0	0	0	0	0	0	51
COLPROVIA	NEW WINDSOR	0	0	9	0	0	0	13
CORTLAND	CORTLAND	0	0	0	13	0	0	75
DOSCH-KING	WHIPPANY	0	0	0	0	0	0	1
EXXON	LINDEN	0	0	0	0	0	0	52
EXXON	3 RIVERS	0	0	0	0	0	0	2
GULF CANADA	MISSISSAUGA	0	0	0	0	0	0	25
IMPERIAL	MONTREAL	0	0	0	0	0	0	1
MARATHON	TOMAWANDA	0	0	0	0	0	0	64
MIDLAND	TOMAWANDA	0	0	0	37	0	0	128
MOHAWK	SCOTIA	0	0	44	0	15	0	51
MULCO	MONTREAL	0	0	0	0	0	0	15
NYS EMULSION	UTICA	0	0	0	0	0	0	50
NYS EMULSION	CHEERTOWAGA	0	0	0	21	0	0	41
NYS EMULSION	ROCHESTER	0	0	0	8	0	0	8
NYS EMULSION	BUFFALO	0	0	0	37	0	0	47
OSWEGO	CENTRAL SQ	0	0	4	0	0	0	8
PARCO	STAMFORD	0	0	0	0	0	0	100
PECHIAN/PARCO	ATHENS	0	0	0	0	0	0	178
PETRO-CANADA	MONTREAL	0	0	0	0	0	0	20
SHELL CANADA	MONTREAL	0	0	0	0	0	0	32
SHELL CANADA	OAKVILLE	0	0	0	0	0	0	8
UNITED REF	WARREN	0	0	0	0	0	0	20
WEST BANK	KEARNY	0	0	0	0	0	0	57
WEST BANK	PENISAUKEN	0	0	0	0	0	0	1
TOTALS		1	5	51	211	45	0	2248

** TACK COAT

1982 ASPHALT MATERIALS DATA
TOTAL CEMENT DATA RECORDS BY CODING PARAMETERS

	TEST TYPE	REQ AGENCY	TOTAL
GRADE AC - 5	1	1	13
	1	3	7
	1	7	1
	2	1	5
SUBTOTAL			26
GRADE AC - 15	1	6	2
	1	1	275
	1	2	6
	1	3	31
	2	1	3
	3	1	8
SUBTOTAL			325
GRADE AC - 20	1	6	1
	1	1	931
	1	3	67
	1	4	2
	1	7	1
	2	1	13
	2	3	1
	3	1	53
	3	3	1
	4	4	6
SUBTOTAL			1076
GRADE 85-100	1	1	55
	1	3	17
	1	7	1
	2	1	6
SUBTOTAL			79
TOTAL			1506

TEST RECORD CODING PARAMETERS
=====

REQUESTING AGENCY:

- 1 - DOT NORMAL
- 2 - DOT MAINTENANCE
- 3 - RECORD SAMPLING
- 4 - DOT ENGINEERING
- 5 - DOT ER&DB
- 6 - THRUWAY
- 7 - OTHER
- 8 - UNKNOWN/ERROR


TEST TYPE:

- 1 - NORMAL
- 2 - CHECK
- 3 - ADDITIONAL GROUP
- 4 - INFO SAMPLE
- 8 - UNKNOWN/ERROR























ITEM	ANALYSIS	1 = Sat. 2 = Unsat.
Particle Charge 1 in A. (4,)	44 <input type="text"/>	45 <input type="text"/>
Specific Gravity @ 60F	46 <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> 50	51 <input type="text"/>
Specific Gravity @ 77F	52 <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> 56	57 <input type="text"/>
Homogeneity	59 <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> 61	58 <input type="text"/>
Water %	63 <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> 66	62 <input type="text"/>
Solubility	68 <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> 70	67 <input type="text"/>
Flash Point (° F)	72 <input type="text"/> <input type="text"/> <input type="text"/> 74	71 <input type="text"/>
Softening Pt. R&B (° F)	<input type="text"/> <input type="text"/> <input type="text"/>	75 <input type="text"/>

ITEM	ANALYSIS				1 = Set.	2 = Unsat.
THIN FILM OVEN TEST:	8	9	12	13		
% Difference (+, -)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>		
Penetration @ 77F 100g, 5 Sec. (.1mm)	<div><div></div><div></div><div></div><div></div></div>					
[Indicate striking can bottom with "+" in fourth box]	14	AVG	16	17	18	
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
% original pen @ 77F	19	20			21	
	<input type="text"/>	<input type="text"/>			<input type="text"/>	
Ductility @ 60F 5cm/min. (cm)	22	24 + = over			26	
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Kinematic Viscosity @ 275F (C. Stokes)	27			32	33	
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Absolute Viscosity 140F, 30cm. (poise)	34			39	40	
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Viscosity Ratio 60C [after TFOT before TFOT]	41	42			43	
	<input type="text"/>	<input type="text"/>			<input type="text"/>	

Card 5					1 = Set.
ITEM		ANALYSIS			2 = Unset.
Kinematic Viscosity @ 140F (C. Stokes)	8	<input type="text"/>	<input type="text"/>	13	14
Kinematic Viscosity @ 275F (C. Stokes)	15	<input type="text"/>	<input type="text"/>	20	21
Absolute Viscosity @ 140F, 30cm. (poise)	22	<input type="text"/>	<input type="text"/>	27	28
Penetration @ 77F 100g, 5 Sec. (.1mm)					
[Indicate striking can bottom with "+" in fourth box]	29	AVG	31	32	33
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Penetration @ 39.2F 200g, 60 Sec. (.1mm)	34	36		37	
	AVG.	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Pen. Ratio	38	40			41
Pen at 39.2F Pen at 77F	<input type="text"/>	<input checked="" type="radio"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Ductility @ 60F 5 cm/min. (cm)	42	44+ over			46
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Card 3 

DISTILLATE [CUTBACKS]:

	Distillate to °F		% Vol.	% total		
	8	11		12	15	
320						
	17	20		21	24	25
374						
	26	29		30	33	34
437						
	35	38		39	42	43
500						
	44	47		48	51	52
						
	53	56		57	60	61
680						
	62	65		66	69	70
RESIDUE						

STANDARD LOSS:		44	46	47
Loss of Heating @ 325F	(%)	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>
		48	50	51
% orig. pen. @ 77F		<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>
DISTILLATE [EMULSIONS]:				
		52	54	55
Residue	(%)	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>
		56	58	59
Petroleum Spirits	(%)	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>
		60	63 + or over	65
Floast Test @ 140F (Sec.)		<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>

Card 5 →

62 (CIRCLE ACTION)

FINAL ACTION	ACCEPT 1	REJECT 2	NO ACTION 3
--------------	-------------	-------------	----------------

B. TECHNICAL DATA
=====

1982 ASPHALT MATERIALS ANALYSIS

1982 ASPHALT MATERIALS DATA
CEMENT DATA SUMMARY STATISTICS

GRADE	RECORDS*	N	PEN 77F		AB VISC 140F		KIN VISC 275F	
			MEAN	SD	MEAN	SD	MEAN	SD
AC-5	21	21	156.0	6.0	485.1	71.6	N/A	
AC-15	314	314	83.5	7.1	1386.2	106.4	N/A	
AC-20	1002	1002	74.5	23.1	1935.6	185.7	N/A	
85-100	73	73	86.9	2.8	N/A		341.7	16.1

*INCLUDES ALL REQUESTING AGENCIES, TEST-TYPE = 1 (NORMAL)
BEFORE DATA SCREENING FOR BLANKS, ETC.

HISTOGRAMS OF VISCOSITY
1982 ASPHALT CEMENT DATA

- a. AC-5
- b. AC-15
- c. AC-20
- d. 85-100

a. 1982 ASPHALT MATERIALS DATA GRADE AC-5

HISTOGRAM OF VARIABLE AVIS140

SYMBOL COUNT MEAN ST.DEV.
X 21 485.095 71.616

INTERVAL NAME	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	FREQUENCY INT.	PERCENTAGE CUM.	PERCENTAGE INT.	CUM.
*200.000 +																	0	0.0	0.0	0.0
*300.000 +																	0	0.0	0.0	0.0
*400.000 +																	0	0.0	0.0	0.0
*500.000 +																	16	16	76.2	76.2
*600.000 +																	0	16	0.0	76.2
*700.000 +																	5	21	23.8	100.0
*800.000 +																	0	21	0.0	100.0
*900.000 +																	0	21	0.0	100.0
*1000.00 +																	0	21	0.0	100.0
*1100.00 +																	0	21	0.0	100.0
*1200.00 +																	0	21	0.0	100.0
*1300.00 +																	0	21	0.0	100.0
*1400.00 +																	0	21	0.0	100.0
*1500.00 +																	0	21	0.0	100.0
*1600.00 +																	0	21	0.0	100.0
*1700.00 +																	0	21	0.0	100.0
*1800.00 +																	0	21	0.0	100.0
*1900.00 +																	0	21	0.0	100.0
*2000.00 +																	0	21	0.0	100.0
*2100.00 +																	0	21	0.0	100.0
*2200.00 +																	0	21	0.0	100.0
*2300.00 +																	0	21	0.0	100.0
*2400.00 +																	0	21	0.0	100.0
*2500.00 +																	0	21	0.0	100.0
*2600.00 +																	0	21	0.0	100.0
*2700.00 +																	0	21	0.0	100.0
*2800.00 +																	0	21	0.0	100.0
*2900.00 +																	0	21	0.0	100.0
*3000.00 +																	0	21	0.0	100.0
*3100.00 +																	0	21	0.0	100.0
*3200.00 +																	0	21	0.0	100.0
*3300.00 +																	0	21	0.0	100.0
*3400.00 +																	0	21	0.0	100.0
*3500.00 +																	0	21	0.0	100.0
*3600.00 +																	0	21	0.0	100.0
*3700.00 +																	0	21	0.0	100.0
*3800.00 +																	0	21	0.0	100.0
*3900.00 +																	0	21	0.0	100.0
*4000.00 +																	0	21	0.0	100.0
*LAST																	0	21	0.0	100.0

(C

1. The first part of the document is a list of the names of the persons who have been appointed to the various offices of the corporation. The names are listed in alphabetical order, and each name is followed by the office to which he or she has been appointed. The list is as follows:

2. The second part of the document is a list of the names of the persons who have been appointed to the various offices of the corporation. The names are listed in alphabetical order, and each name is followed by the office to which he or she has been appointed. The list is as follows:

3. The third part of the document is a list of the names of the persons who have been appointed to the various offices of the corporation. The names are listed in alphabetical order, and each name is followed by the office to which he or she has been appointed. The list is as follows:

(C

(C

b. 1982 ASPHALT MATERIALS DATA GRADE AC-15

HISTOGRAM OF VARIABLE AVIS140

SYMBOL COUNT MEAN ST. DEV.
X 314 1386.236 106.386

INTERVAL NAME	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	FREQUENCY INT.	PERCENTAGE CUM.	PERCENTAGE INT.	CUM.
*200.000 +																	0	0	0	0
*300.000 +																	0	0	0	0
*400.000 +																	0	0	0	0
*500.000 +																	0	0	0	0
*600.000 +																	0	0	0	0
*700.000 +																	0	0	0	0
*800.000 +X																	1	1	0.3	0.3
*900.000 +																	0	1	0.0	0.3
*1000.00 +																	0	1	0.0	0.3
*1100.00 +																	0	1	0.0	0.3
*1200.00 +X																	1	2	0.3	0.6
*1300.00 +																	52	54	16.6	17.2
*1400.00 +																	139	193	44.3	61.5
*1500.00 +																	86	279	27.4	88.9
*1600.00 +																	21	300	6.7	95.5
*1700.00 +																	10	310	3.2	98.7
*1800.00 +XXXX																	4	314	1.3	100.0
*1900.00 +																	0	314	0.0	100.0
*2000.00 +																	0	314	0.0	100.0
*2100.00 +																	0	314	0.0	100.0
*2200.00 +																	0	314	0.0	100.0
*2300.00 +																	0	314	0.0	100.0
*2400.00 +																	0	314	0.0	100.0
*2500.00 +																	0	314	0.0	100.0
*2600.00 +																	0	314	0.0	100.0
*2700.00 +																	0	314	0.0	100.0
*2800.00 +																	0	314	0.0	100.0
*2900.00 +																	0	314	0.0	100.0
*3000.00 +																	0	314	0.0	100.0
*3100.00 +																	0	314	0.0	100.0
*3200.00 +																	0	314	0.0	100.0
*3300.00 +																	0	314	0.0	100.0
*3400.00 +																	0	314	0.0	100.0
*3500.00 +																	0	314	0.0	100.0
*3600.00 +																	0	314	0.0	100.0
*3700.00 +																	0	314	0.0	100.0
*3800.00 +																	0	314	0.0	100.0
*3900.00 +																	0	314	0.0	100.0
*4000.00 +																	0	314	0.0	100.0
*LAST																	0	314	0.0	100.0



HISTOGRAM OF VARIABLE AVIS140

SYMBOL	COUNT	MEAN	ST. DEV.
X	1002	1935.640	185.714

INTERVAL	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	FREQUENCY	PERCENTAGE
NAME																	INT.	CUM. INT.
*200.000	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*300.000	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*400.000	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*500.000	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*600.000	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*700.000	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*800.000	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*900.000	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*1000.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*1100.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*1200.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*1300.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*1400.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*1500.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*1600.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*1700.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*1800.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*1900.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*2000.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*2100.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*2200.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*2300.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*2400.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*2500.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*2600.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*2700.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*2800.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*2900.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*3000.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*3100.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*3200.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*3300.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*3400.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*3500.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*3600.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*3700.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*3800.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*3900.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*4000.00	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0
*LAST	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	0	0.0

d. 1982 ASPHALT MATERIALS DATA GRADE 85-100

HISTOGRAM OF VARIABLE KVIS275

SYMBOL COUNT MEAN ST. DEV.
X 73 341.671 16.105

INTERVAL NAME	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	FREQUENCY INT.	PERCENTAGE CUM. INT.	PERCENTAGE CUM.
*100.000 +																	0	0	0.0
*150.000 +																	0	0	0.0
*200.000 +																	0	0	0.0
*250.000 +																	0	0	0.0
*300.000 +																	0	0	0.0
*350.000 +																	56	76.7	76.7
*400.000 +																	17	73	23.3
*450.000 +																	0	73	100.0
*500.000 +																	0	73	0.0
*550.000 +																	0	73	0.0
*600.000 +																	0	73	0.0
*650.000 +																	0	73	0.0
*700.000 +																	0	73	0.0
*750.000 +																	0	73	0.0
*800.000 +																	0	73	0.0
*850.000 +																	0	73	0.0
*900.000 +																	0	73	0.0
*950.000 +																	0	73	0.0
*1000.00 +																	0	73	0.0
*1050.00 +																	0	73	0.0
*1100.00 +																	0	73	0.0
*1150.00 +																	0	73	0.0
*1200.00 +																	0	73	0.0
*1250.00 +																	0	73	0.0
*1300.00 +																	0	73	0.0
*1350.00 +																	0	73	0.0
*1400.00 +																	0	73	0.0
*1450.00 +																	0	73	0.0
*1500.00 +																	0	73	0.0
*LAST																	0	73	0.0

HISTOGRAMS OF PENETRATION
1982 ASPHALT CEMENT DATA

- a. AC-5
- b. AC-15
- c. AC-20
- d. 85-100

a. 1982 ASPHALT MATERIALS DATA GRADE AC-5

HISTOGRAM OF VARIABLE PEN77

SYMBOL COUNT MEAN ST.DEV.
X 21 155.952 5.979

INTERVAL NAME	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	FREQUENCY INT.	PERCENTAGE CUM. INT.	CUM.
*50.0000 +																	0	0.0	0.0
*55.0000 +																	0	0.0	0.0
*60.0000 +																	0	0.0	0.0
*65.0000 +																	0	0.0	0.0
*70.0000 +																	0	0.0	0.0
*75.0000 +																	0	0.0	0.0
*80.0000 +																	0	0.0	0.0
*85.0000 +																	0	0.0	0.0
*90.0000 +																	0	0.0	0.0
*95.0000 +																	0	0.0	0.0
*100.000 +																	0	0.0	0.0
*105.000 +																	0	0.0	0.0
*110.000 +																	0	0.0	0.0
*115.000 +																	0	0.0	0.0
*120.000 +																	0	0.0	0.0
*125.000 +																	0	0.0	0.0
*130.000 +																	0	0.0	0.0
*135.000 +																	0	0.0	0.0
*140.000 +																	0	0.0	0.0
*145.000 +																	0	0.0	0.0
*150.000 +XXX																	3	14.3	14.3
*155.000 +XXXXXXXXXX																	10	13	47.6
*160.000 +XX																	2	15	61.9
*165.000 +XXX																	4	19	71.4
*170.000 +XX																	2	21	90.5
*175.000 +																	0	21	9.5
*180.000 +																	0	21	100.0
*185.000 +																	0	21	0.0
*190.000 +																	0	21	0.0
*195.000 +																	0	21	0.0
*200.000 +																	0	21	0.0
*LAST +																	0	21	0.0

THE UNIVERSITY OF CHICAGO
LIBRARY
1100 EAST 58TH STREET
CHICAGO, ILL. 60637
TEL: 773-936-3000

THE UNIVERSITY OF CHICAGO
LIBRARY
1100 EAST 58TH STREET
CHICAGO, ILL. 60637
TEL: 773-936-3000

b. 1982 ASPHALT MATERIALS DATA GRADE AC-15

HISTOGRAM OF VARIABLE PEN77

SYMBOL COUNT MEAN ST. DEV.
X 314 83.478 7.147

INTERVAL NAME	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	FREQUENCY INT.	PERCENTAGE CUM. INT.
*50.0000 +																	0	0.0
*55.0000 +																	0	0.0
*60.0000 +																	0	0.0
*65.0000 +XXXXXX																	6	1.9
*70.0000 +XXXXXXXXXXXX																	19	25
*75.0000 +XXXXXXXXXXXXXXXXXXXX																	26	51
*80.0000 +XXXXXXXXXXXXXXXXXXXX																	25	76
*85.0000 +XXXXXXXXXXXXXXXXXXXX																	79	155
*90.0000 +XXXXXXXXXXXXXXXXXXXX																	141	296
*95.0000 +XXXXXXXXXXXXXXXXXXXX																	16	312
*100.000 +																	0	312
*105.000 +X																	1	313
*110.000 +X																	1	314
*115.000 +																	0	314
*120.000 +																	0	314
*125.000 +																	0	314
*130.000 +																	0	314
*135.000 +																	0	314
*140.000 +																	0	314
*145.000 +																	0	314
*150.000 +																	0	314
*155.000 +																	0	314
*160.000 +																	0	314
*165.000 +																	0	314
*170.000 +																	0	314
*175.000 +																	0	314
*180.000 +																	0	314
*185.000 +																	0	314
*190.000 +																	0	314
*195.000 +																	0	314
*200.000 +																	0	314
*LAST +																	0	314

C. 1982 ASPHALT MATERIALS DATA GRADE AC-20

HISTOGRAM OF VARIABLE PEN77

SYMBOL COUNT MEAN ST. DEV.
X 1002 74.554 23.129

INTERVAL NAME	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	FREQUENCY INT.	PERCENTAGE CUM.	PERCENTAGE INT.	CUM.
*50.0000 +																	0	0.0	0.0	0.0
*55.0000 +																	0	0.0	0.0	0.0
*60.0000 +X																	1	0.1	0.1	0.1
*65.0000 +																	85	8.5	8.5	8.6
*70.0000 +																	296	29.5	38.1	38.1
*75.0000 +																	258	64.0	25.7	63.9
*80.0000 +																	189	82.9	18.9	82.7
*85.0000 +																	89	91.8	8.9	91.6
*90.0000 +																	61	97.9	6.1	97.7
*95.0000 +																	22	100.1	2.2	99.9
*100.000 +																	0	100.1	0.0	99.9
*105.000 +																	0	100.1	0.0	99.9
*110.000 +																	0	100.1	0.0	99.9
*115.000 +																	0	100.1	0.0	99.9
*120.000 +																	0	100.1	0.0	99.9
*125.000 +																	0	100.1	0.0	99.9
*130.000 +																	0	100.1	0.0	99.9
*135.000 +																	0	100.1	0.0	99.9
*140.000 +																	0	100.1	0.0	99.9
*145.000 +																	0	100.1	0.0	99.9
*150.000 +																	0	100.1	0.0	99.9
*155.000 +																	0	100.1	0.0	99.9
*160.000 +																	0	100.1	0.0	99.9
*165.000 +																	0	100.1	0.0	99.9
*170.000 +																	0	100.1	0.0	99.9
*175.000 +																	0	100.1	0.0	99.9
*180.000 +																	0	100.1	0.0	99.9
*185.000 +																	0	100.1	0.0	99.9
*190.000 +																	0	100.1	0.0	99.9
*195.000 +																	0	100.1	0.0	99.9
*200.000 +																	0	100.1	0.0	99.9
*LAST +X																	1	100.2	0.1	100.0

d. 1982 ASPHALT MATERIALS DATA GRADE 85-100

HISTOGRAM OF VARIABLE PEN77

SYMBOL COUNT MEAN ST.DEV.
X 73 86.918 2.807

INTERVAL NAME	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	FREQUENCY INT.	PERCENTAGE CUM. INT.	PERCENTAGE CUM.
*50.0000 +																	0	0.0	0.0
*55.0000 +																	0	0.0	0.0
*60.0000 +																	0	0.0	0.0
*65.0000 +																	0	0.0	0.0
*70.0000 +																	0	0.0	0.0
*75.0000 +X																	1	1.4	1.4
*80.0000 +X																	1	1.4	2.7
*85.0000 +XXXXXXXXXXXX																	18	24.7	27.4
*90.0000 +XXXXXXXXXXXX																	49	67.1	94.5
*95.0000 +XXXX																	4	73	5.5
*100.0000 +																	0	73	0.0
*105.0000 +																	0	73	0.0
*110.0000 +																	0	73	0.0
*115.0000 +																	0	73	0.0
*120.0000 +																	0	73	0.0
*125.0000 +																	0	73	0.0
*130.0000 +																	0	73	0.0
*135.0000 +																	0	73	0.0
*140.0000 +																	0	73	0.0
*145.0000 +																	0	73	0.0
*150.0000 +																	0	73	0.0
*155.0000 +																	0	73	0.0
*160.0000 +																	0	73	0.0
*165.0000 +																	0	73	0.0
*170.0000 +																	0	73	0.0
*175.0000 +																	0	73	0.0
*180.0000 +																	0	73	0.0
*185.0000 +																	0	73	0.0
*190.0000 +																	0	73	0.0
*195.0000 +																	0	73	0.0
*200.0000 +																	0	73	0.0
*LAST																	0	73	0.0

MEAN VISCOSITY, PENETRATION BY PRIMESOURCE

1982 ASPHALT CEMENT DATA

- a. AC-5
- b. AC-15
- c. AC-20
- d. 85-100

a. 1982 ASPHALT MATERIALS DATA GRADE AC-5

VARIABLE NO. NAME	GROUPING VARIABLE LEVEL	TOTAL FREQUENCY	MEAN	STANDARD DEVIATION	ST. ERR OF MEAN	COEFF. OF VARIATION	S M A L VALUE	L E S T Z-SCORE	L A R G E S T VALUE	Z-SCORE	RANGE
5 AVIS140	PSOURCE	21	485.095	71.616	15.6278	0.14763	409.000	-1.06	608.000	1.72	199.000
	ASHLAND-	16	447.313	21.023	5.2557	0.04700	409.000	-1.82	491.000	2.08	82.000
	ARCO-3R	0									
	ARCO-PH	0									
	CHEV-LYN	0									
	CHEV-PMB	0									
	CHEV-TRY	0									
	EXXN-LIN	0									
	EXXON-3R	0									
	MAR-TON	5									
	PKHM-ATH	0									
	IMP-MONT	0									
	UNITED-W	0									
	WBK-KRN	0									
	WBK-PEN	0									
	CIBRO-AL	0	606.000	2.000	0.8944	0.00330	603.000	-1.50	608.000	1.00	5.000
	CIBRO-3R	0									
	SHELL-MO	0									
	SHELL-OA	0									
	GULF-MIS	0									
	PETRO-MO	0									
	BP-MONT	0									
	BP-OAK	0									
	PARCO-ST	0									

a. 1982 ASPHALT MATERIALS DATA GRADE AC-5

6 PEN77	PSOURCE	21	155.952	5.979	1.3047	0.03834	146.000	-1.66	167.000	1.85	21.000
	ASHLAND-	16	156.750	6.608	1.6520	0.04216	146.000	-1.63	167.000	1.55	21.000
	ARCO-3R	0									
	ARCO-PH	0									
	CHEV-LYN	0									
	CHEV-PMB	0									
	CHEV-TRY	0									
	EXXN-LIN	0									
	EXXON-3R	0									
	MAR-TON	5									
	PKHM-ATH	0									
	IMP-MONT	0									
	UNITED-W	0									
	WBK-KRN	0									
	WBK-PEN	0									
	CIBRO-AL	0									
	CIBRO-3R	0									
	SHELL-MO	0									
	SHELL-OA	0									
	GULF-MIS	0									
	PETRO-MO	0									
	BP-MONT	0									
	BP-OAK	0									
	PARCO-ST	0									

b. 1982 ASPHALT MATERIALS DATA GRADE AC-15

VARIABLE NO. NAME	GROUPING VARIABLE LEVEL	TOTAL FREQUENCY	MEAN	STANDARD DEVIATION	ST. ERR OF MEAN	COEFF. OF VARIATION	S M A L L E S T VALUE	L A R G E S T VALUE	RANGE
5 AVIS140	PSOURCE	314	1386.236	106.386	6.0037	0.07674	762.000	1768.000	1006.000
	ARCO-3R	43	1490.186	84.488	12.8842	0.05670	1283.000	1688.000	405.000
	ARCO-PH	0							
	CHEV-LYN	0							
	CHEV-PMB	0							
	CHEV-TRY	0							
	EXXN-LIN	0							
	EXXON-3R	0							
	MAR-TON	56	1400.321	122.294	16.3422	0.08733	762.000	1768.000	1006.000
	PKHM-ATH	0							
	IMP-MONT	0							
	UNITED-W	18	1565.111	97.684	23.0244	0.06241	1440.000	1740.000	300.000
	WBNK-KRN	0							
	WBNK-PEN	0							
	CIBRO-AL	0							
	CIBRO-3R	0							
	SHELL-MO	0							
	SHELL-OA	8	1401.375	54.374	19.2242	0.03880	1310.000	1460.000	150.000
	GULF-MIS	25	1344.040	59.031	11.8061	0.04392	1126.000	1440.000	314.000
	PETRO-MO	0							
	BP-MONT	1	1347.000	0.000	0.0000	0.00000	1347.000	1347.000	0.000
	BP-OAK	153	1340.190	66.129	5.1796	0.04934	1208.000	1578.000	370.000
	PARCO-ST	0							

b. 1982 ASPHALT MATERIALS DATA GRADE AC-15

6 PEN77	PSOURCE	314	83.478	7.147	0.4033	0.08562	62.000	107.000	45.000
	ARCO-3R	43	74.791	5.768	0.8795	0.07712	65.000	87.000	22.000
	ARCO-PH	0							
	CHEV-LYN	0							
	CHEV-PMB	0							
	CHEV-TRY	0							
	EXXN-LIN	0							
	EXXON-3R	0							
	MAR-TON	56	85.000	6.051	0.8086	0.07119	69.000	107.000	38.000
	PKHM-ATH	0							
	IMP-MONT	0							
	UNITED-W	18	68.667	6.490	1.5297	0.09451	62.000	-82.000	20.000
	WBNK-KRN	0							
	WBNK-PEN	0							
	CIBRO-AL	0							
	CIBRO-3R	0							
	SHELL-MO	0							
	SHELL-OA	8	83.250	2.252	0.7962	0.02705	80.000	86.000	6.000
	GULF-MIS	25	88.480	4.575	0.9149	0.05170	79.000	104.000	25.000
	PETRO-MO	0							
	BP-MONT	1	89.000	0.000	0.0000	0.00000	89.000	89.000	0.000
	BP-OAK	163	86.092	3.710	0.2906	0.04309	71.000	93.000	22.000
	PARCO-ST	0							

10.00	1.00	0.00	10.00	1.00	0.00
11.00	1.10	0.10	11.00	1.10	0.10
12.00	1.20	0.20	12.00	1.20	0.20
13.00	1.30	0.30	13.00	1.30	0.30
14.00	1.40	0.40	14.00	1.40	0.40
15.00	1.50	0.50	15.00	1.50	0.50
16.00	1.60	0.60	16.00	1.60	0.60
17.00	1.70	0.70	17.00	1.70	0.70
18.00	1.80	0.80	18.00	1.80	0.80
19.00	1.90	0.90	19.00	1.90	0.90
20.00	2.00	1.00	20.00	2.00	1.00

21.00	2.10	1.10	21.00	2.10	1.10
22.00	2.20	1.20	22.00	2.20	1.20
23.00	2.30	1.30	23.00	2.30	1.30
24.00	2.40	1.40	24.00	2.40	1.40
25.00	2.50	1.50	25.00	2.50	1.50
26.00	2.60	1.60	26.00	2.60	1.60
27.00	2.70	1.70	27.00	2.70	1.70
28.00	2.80	1.80	28.00	2.80	1.80
29.00	2.90	1.90	29.00	2.90	1.90
30.00	3.00	2.00	30.00	3.00	2.00

C. 1982 ASPHALT MATERIALS DATA GRADE AC-20

VARIABLE NO. NAME	GROUPING VARIABLE LEVEL	TOTAL FREQUENCY	MEAN	STANDARD DEVIATION	ST. ERR OF MEAN	COEFF. OF VARIATION	S M A L L E S T VALUE	L A R G E S T VALUE	RANGE
5 AVIS140	PSOURCE	1002	1935.640	185.714	5.8659	0.09594	1336.000	3241.000	1905.000
	ASHLND-T	0							
	ARCO-3R	245	1913.049	146.558	9.3632	0.07661	1480.000	2439.000	959.000
	ARCO-PH	7	1823.286	155.624	58.8204	0.08535	1653.000	2040.000	387.000
	CHEV-LYN	92	1780.174	88.956	9.2743	0.04997	1620.000	2037.000	417.000
	CHEV-PMB	84	1929.988	243.402	26.5574	0.12612	1676.000	3241.000	1565.000
	CHEV-TRY	37	1868.432	153.258	25.1955	0.08203	1646.000	2292.000	646.000
	EXXN-LIN	52	1997.558	137.444	19.0600	0.06881	1701.000	2328.000	627.000
	EXXON-3R	2	1992.000	4.243	3.0000	0.00213	1989.000	1995.000	6.000
	MAR-TON	0							
	PKHM-ATH	174	1903.172	145.461	11.0274	0.07643	1336.000	2509.000	1173.000
	IMP-MONT	0							
	UNITED-W	1	1520.000	0.000	0.0000	0.00000	1520.000	1520.000	0.000
	WBKN-KRN	57	2015.123	180.592	23.9200	0.08962	1759.000	2995.000	1236.000
	WBKN-PEN	1	1943.000	0.000	0.0000	0.00000	1943.000	1943.000	0.000
	CIBRO-AL	92	2136.283	159.111	16.5884	0.07448	1610.000	2483.000	873.000
	CIBRO-3R	51	2162.235	197.164	27.6085	0.09119	1688.000	2472.000	784.000
	SHELL-MO	6	1870.333	171.969	70.2062	0.09195	1679.000	2157.000	478.000
	SHELL-OA	0							
	GULF-MIS	0							
	PETRO-MO	1	2130.000	0.000	0.0000	0.00000	2130.000	2130.000	0.000
	BP-MONT	0							
	BP-OAK	0							
	PARCO-ST	100	1855.260	112.312	11.2312	0.06054	1610.000	2276.000	666.000

C. 1982 ASPHALT MATERIALS DATA GRADE AC-20

6 PEN77	PSOURCE	1002	74.554	23.129	0.7307	0.31023	59.000	771.000	712.000
	ASHLND-T	0							
	ARCO-3R	245	72.441	45.037	2.8773	0.62171	61.000	771.000	710.000
	ARCO-PH	7	75.000	3.873	1.4639	0.05164	69.000	79.000	10.000
	CHEV-LYN	92	77.250	2.748	0.2855	0.03557	69.000	83.000	14.000
	CHEV-PMB	84	74.298	5.318	0.5803	0.07158	59.000	88.000	29.000
	CHEV-TRY	37	78.595	4.298	0.7065	0.05468	66.000	86.000	20.000
	EXXN-LIN	52	68.846	4.517	0.6265	0.06562	61.000	81.000	20.000
	EXXON-3R	2	76.000	0.000	0.0000	0.00000	76.000	76.000	0.000
	MAR-TON	0							
	PKHM-ATH	174	70.402	4.844	0.3672	0.06881	61.000	89.000	28.000
	IMP-MONT	0							
	UNITED-W	1	68.000	0.000	0.0000	0.00000	68.000	68.000	0.000
	WBKN-KRN	57	75.333	4.557	0.6035	0.06048	66.000	85.000	19.000
	WBKN-PEN	1	79.000	0.000	0.0000	0.00000	79.000	79.000	0.000
	CIBRO-AL	92	87.011	5.035	0.5249	0.05787	65.000	95.000	30.000
	CIBRO-3R	51	80.843	6.525	0.9137	0.08071	66.000	91.000	25.000
	SHELL-MO	6	77.667	1.862	0.7601	0.02397	76.000	81.000	5.000
	SHELL-OA	0							
	GULF-MIS	0							
	PETRO-MO	1	70.000	0.000	0.0000	0.00000	70.000	70.000	0.000
	BP-MONT	0							
	BP-OAK	0							
	PARCO-ST	100	70.870	3.419	0.3419	0.04824	61.000	80.000	19.000

1. The first part of the paper is devoted to a general discussion of the problem.

2. The second part is devoted to a detailed study of the case of a single particle.

3. The third part is devoted to a study of the case of a system of particles.

4. The fourth part is devoted to a study of the case of a system of particles.

5. The fifth part is devoted to a study of the case of a system of particles.

6. The sixth part is devoted to a study of the case of a system of particles.

7. The seventh part is devoted to a study of the case of a system of particles.

8. The eighth part is devoted to a study of the case of a system of particles.

9. The ninth part is devoted to a study of the case of a system of particles.

10. The tenth part is devoted to a study of the case of a system of particles.

1. The first part of the paper is devoted to a general discussion of the problem.

2. The second part is devoted to a detailed study of the case of a single particle.

3. The third part is devoted to a study of the case of a system of particles.

4. The fourth part is devoted to a study of the case of a system of particles.

5. The fifth part is devoted to a study of the case of a system of particles.

6. The sixth part is devoted to a study of the case of a system of particles.

7. The seventh part is devoted to a study of the case of a system of particles.

8. The eighth part is devoted to a study of the case of a system of particles.

9. The ninth part is devoted to a study of the case of a system of particles.

10. The tenth part is devoted to a study of the case of a system of particles.

d. 1982 ASPHALT MATERIALS DATA GRADE 85-100

VARIABLE NO. NAME	GROUPING VARIABLE LEVEL	TOTAL FREQUENCY	MEAN	STANDARD DEVIATION	ST. ERR. OF MEAN	COEFF. OF VARIATION	S M A L L E S T VALUE	Z-SCORE	L A R G E S T VALUE	Z-SCORE	RANGE
4 KVIS275	PSOURCE	73	341.671	16.105	1.8849	0.04714	316.000	-1.59	387.000	2.81	71.000
	ASHLND-T	0									
	ARCO-3R	0									
	ARCO-PH	0									
	CHEV-LYN	0									
	CHEV-PMB	0									
	CHEV-TRY	0									
	EXXN-LIN	0									
	EXXON-3R	0									
	MAR-TON	0									
	PKHM-ATH	0									
	IMP-MONT	1	370.000	0.000	0.0000	0.00000	370.000	0.00	370.000	0.00	0.000
	UNITED-W	0									
	WBK-KRN	0									
	WBK-PEN	0									
	CIBRO-AL	0									
	CIBRO-3R	0									
	SHELL-MO	17	351.882	19.567	4.7456	0.05561	318.000	-1.73	372.000	1.03	54.000
	SHELL-OA	0									
	GULF-MIS	0									
	PETRO-MO	18	332.833	14.247	3.3580	0.04280	316.000	-1.18	354.000	1.49	38.000
	BP-MONT	31	341.774	12.412	2.2292	0.03632	324.000	-1.43	387.000	3.64	63.000
	BP-OAK	6	334.000	5.329	2.1756	0.01596	325.000	-1.69	338.000	0.75	13.000
	PARCO-ST	0									

d. 1982 ASPHALT MATERIALS DATA GRADE 85-100

6 PEN77	PSOURCE	73	86.918	2.807	0.3286	0.03230	74.000	-4.60	94.000	2.52	20.000
	ASHLND-T	0									
	ARCO-3R	0									
	ARCO-PH	0									
	CHEV-LYN	0									
	CHEV-PMB	0									
	CHEV-TRY	0									
	EXXN-LIN	0									
	EXXON-3R	0									
	MAR-TON	0									
	PKHM-ATH	0									
	IMP-MONT	1	74.000	0.000	0.0000	0.00000	74.000	0.00	74.000	0.00	0.000
	UNITED-W	0									
	WBK-KRN	0									
	WBK-PEN	0									
	CIBRO-AL	0									
	CIBRO-3R	0									
	SHELL-MO	17	88.471	2.787	0.6758	0.03150	85.000	-1.25	94.000	1.98	9.000
	SHELL-OA	0									
	GULF-MIS	0									
	PETRO-MO	18	87.722	1.934	0.4559	0.02205	82.000	-2.96	90.000	1.18	8.000
	BP-MONT	31	85.968	2.089	0.3753	0.02430	79.000	-3.33	91.000	2.41	12.000
	BP-OAK	6	87.167	0.408	0.1667	0.00468	87.000	-0.41	88.000	2.04	1.000
	PARCO-ST	0									

01507



LRI